

ORDER FOR SUPPLIES OR SERVICES

1. CONTRACT PURCH ORDER/AGREEMENT NO. GS23F0255K	2. DELIVERY ORDER/CALL NO. DAAE07-03-F-B009	3. DATE OF ORDER/CALL (YYYYMMDD) 2003APR09	4. REQUISITION/PURCH REQUEST NO. SEE SCHEDULE	5. PRIORITY DOA4
--	---	--	---	----------------------------

6. ISSUED BY TACOM SFAE-GCS-W-BCTP EDWARD OTTMAN (586)573-2147 WARREN, MICHIGAN 48397-5000 EMAIL: OTTMANE@TACOM.ARMY.MIL HTTP://CONTRACTING.TACOM.ARMY.MIL	CODE W56HZV	7. ADMINISTERED BY (if other than 6) DCMA BIRMINGHAM BURGER PHILLIPS CENTER 1910 THIRD AVE. NORTH, RM 201 BIRMINGHAM, AL 35203-2376	CODE S0101A	8. DELIVERY FOB <input type="checkbox"/> DESTINATION <input checked="" type="checkbox"/> OTHER (See Schedule if other)
---	-----------------------	--	-----------------------	--

9. CONTRACTOR ELMCO INCORPORATED 6000 TECHNOLOGY DRIVE BLDG 1 SUITE N HUNTSVILLE AL 35805-1919 TYPE BUSINESS: Other Small Business Performing in U.S.	CODE 041Q6	FACILITY C	NONE	HQ0338	10. DELIVER TO FOB POINT BY (Date) (YYYYMMDD) SEE SCHEDULE	11. X IF BUSINESS IS <input checked="" type="checkbox"/> SMALL <input type="checkbox"/> SMALL DISADVANTAGED <input type="checkbox"/> WOMAN-OWNED
---	----------------------	----------------------	-------------	---------------	--	--

14. SHIP TO SEE SCHEDULE	CODE	15. PAYMENT WILL BE MADE BY DFAS-COLUMBUS CENTER DFAS-CO/SOUTH ENTITLEMENT OPERATION P.O. BOX 182264 COLUMBUS, OH 43218-2264	CODE HQ0338	MARK ALL PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2
------------------------------------	-------------	---	-----------------------	---

16. TYPE OF ORDER	DELIVERY/ CALL	<input checked="" type="checkbox"/>	THIS DELIVERY ORDER IS ISSUED ON ANOTHER GOVERNMENT AGENCY OR IN ACCORDANCE WITH AND SUBJECT TO TERMS AND CONDITIONS OF ABOVE NUMBERED CONTRACT.
	PURCHASE		Reference your <input type="checkbox"/> Oral <input type="checkbox"/> Written Quotation _____, Dated _____, furnish the following on terms specified herein.
ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME.			

NAME OF CONTRACTOR	SIGNATURE	TYPED NAME AND TITLE	DATE SIGNED (YYYYMMDD)
<input checked="" type="checkbox"/> If this box is marked, supplier must sign Acceptance and return the following number of copies:			

17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE SEE SCHEDULE
--

18. ITEM NO.	19. SCHEDULE OF SUPPLIES/SERVICE	20. QUANTITY ORDERED/ACCEPTED*	21. UNIT	22. UNIT PRICE	23. AMOUNT
	SEE SCHEDULE CONTRACT TYPE: Time-and-Materiels Firm-Fixed-Price KIND OF CONTRACT: Other Service Contracts				

* If quantity accepted by the Government is same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle.	24. UNITED STATES OF AMERICA SANDRA E. MCCARROLL /SIGNED/ MCCARROS@TACOM.ARMY.MIL (586) 573-2072	25. TOTAL	\$41,782.00
	BY: _____	26. DIFFERENCES	

27a. QUANTITY IN COLUMN 20 HAS BEEN
 INSPECTED RECEIVED ACCEPTED, AND CONFORMS TO CONTRACT EXCEPT AS NOTED

b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE	c. DATE (YYYYMMDD)	d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE
---	---------------------------	--

e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE	28. SHIP. NO.	29. D.O. VOUCHER NO.	30. INITIALS
---	----------------------	-----------------------------	---------------------

f. TELEPHONE NUMBER	g. E-MAIL ADDRESS	<input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL	32. PAID BY	33. AMOUNT VERIFIED CORRECT FOR
----------------------------	--------------------------	--	--------------------	--

36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.	<input type="checkbox"/> COMPLETE <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL	34. CHECK NUMBER
--	---	-------------------------

a. DATE (YYYYMMDD)	b. SIGNATURE AND TITLE OF CERTIFYING OFFICER	35. BILL OF LADING NO.
---------------------------	---	-------------------------------

37. RECEIVED AT	38. RECEIVED BY (Print)	39. DATE RECEIVED (YYYYMMDD)	40. TOTAL CONTAINERS	41. S/R ACCOUNT NUMBER	42. S/R VOUCHER NO.
------------------------	--------------------------------	-------------------------------------	-----------------------------	-------------------------------	----------------------------

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 2 of 12

PIIN/SIIN DAAE07-03-F-B009

MOD/AMD

Name of Offeror or Contractor: ELMCO INCORPORATED

SUPPLEMENTAL INFORMATION

1. This action is an order issued under and pursuant to General Services Schedule Contract GS-23F-0255K.
2. The purpose of this order is to acquire Integrated Digital Environment Management, Web Site Support for the Stryker Brigade Combat Team.
3. The Contractor shall perform this order in accordance with the Scope of Work in Section C.
4. The period of performance is for 9 months from the date of award of this order.
5. The order is awarded on a Time and Materials basis as follows:

Labor

Subject Matter Expert

57 hours x \$126.80 (04/01/03-05/15/03) 7,228.00

48 hours x \$131.11 (05/16/03-03/31/04) 6,293.00

Sr. Technical Specialist

71 hours x \$55.16 (04/01/03-05/15/03) 3,916.00

169 hours x \$57.03 (05/16/03-03/31/04) 9,638.00

TOTAL LABOR \$27,075.00

Estimated Other Direct Costs

Airfare

2 Persons/1 Trip/2 days 3,377.00

Specialized Internet Development 11,330.00

Other Direct Costs Total 14,707.00

Total Task \$41,782.00

6. The ceiling price of this order is \$41,782.00. The ceiling price represent the maximum amount of Government liability to the Contractor for performance under this order.

7. The Contractor shall bill the Government for hours performed under this order at the hourly rates specified above. Other Direct Costs shall be billed to the Government on a cost incurred basis. The number of hours is an estimate only. The actual labor hours performed as well as the number of hours performed may vary.

8. PAYMENT

The Contractor shall submit an invoice for payment for work performed. The Contracting Officer's Technical Representative (COTR) will certify each voucher before payment. The COTR for this contract will be:

Mr. John Brobst
HQ, TACOM
SFAE-GCS-W-BCT-B
Warren, MI 48397-5000

COM 586-753-2110

9. INVOICE INSTRUCTIONS

The billing document/invoice submitted by the Contractor for payment, the appropriate CLIN shall be specified.

Additionally, invoices must contain the following information:

Name of Contractor

Contract/Order No.

Number of hours expended, hourly rate, Other Direct Costs, and total costs

Period when effort was performed.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-F-B009 MOD/AMD	Page 3 of 12
---------------------------	--	----------------------------

Name of Offeror or Contractor: ELMCO INCORPORATED

10. The Contractor, by accepting this order, reaffirms that the representations furnished under GSA schedule GS-23F-0255K are current, correct and applicable for this order DAAE07-03-F-B009.

11. The work resulting from this contract or subcontract is a work made for hire and the Contractor or Subcontractor agrees to assign the copyright in all contract deliverables to the United States Government in the form provided for by the following DFARS 252.227-7020 Rights In Special Works (June 1955) clause". DFARS 252.227-7020 Rights In Special Works (June 1955) clause must be incorporated in any subcontract award to develop a BCT web site under this contract.

*** END OF NARRATIVE A 001 ***

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN DAAE07-03-F-B009 MOD/AMD

Name of Offeror or Contractor: ELMCO INCORPORATED

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT																																													
	SUPPLIES OR SERVICES AND PRICES/COSTS																																																	
0001	SECURITY CLASS: Unclassified																																																	
0001AA	<p><u>SERVICES LINE ITEM</u></p> <p>NOUN: ELMCO BCT WEB SITE UPDATE PRON: X13GX113X1 PRON AMD: 01 ACRN: AA AMS CD: 31107180008</p> <table border="0"> <thead> <tr> <th><u>Labor Category</u></th> <th><u>Hrs</u></th> <th><u>Rate</u></th> <th><u>Price</u></th> </tr> </thead> <tbody> <tr> <td>Subject Matter Expert</td> <td>57</td> <td>\$126.80</td> <td>\$7,228.00</td> </tr> <tr> <td>Subject Matter Expert</td> <td>48</td> <td>131.11</td> <td>6,293.00</td> </tr> <tr> <td>Sr.Technical Specialist</td> <td>71</td> <td>55.16</td> <td>3,916.00</td> </tr> <tr> <td>Sr.Technical Specialist</td> <td>169</td> <td>57.03</td> <td>9,638.00</td> </tr> <tr> <td colspan="4">-----</td> </tr> <tr> <td>Total Hours</td> <td>345</td> <td></td> <td></td> </tr> <tr> <td colspan="3">Total Labor Cost</td> <td>\$27,075.00</td> </tr> <tr> <td colspan="3"></td> <td>=====</td> </tr> </tbody> </table> <p>(End of narrative B001)</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p><u>Deliveries or Performance</u></p> <table border="0"> <thead> <tr> <th><u>DLVR SCH</u></th> <th><u>PERF COMPL</u></th> </tr> <tr> <th><u>REL CD</u></th> <th><u>QUANTITY</u></th> </tr> <tr> <th><u>DATE</u></th> <th></th> </tr> </thead> <tbody> <tr> <td>001</td> <td>0</td> <td>31-DEC-2003</td> </tr> </tbody> </table> <p>\$ 27,075.00</p>	<u>Labor Category</u>	<u>Hrs</u>	<u>Rate</u>	<u>Price</u>	Subject Matter Expert	57	\$126.80	\$7,228.00	Subject Matter Expert	48	131.11	6,293.00	Sr.Technical Specialist	71	55.16	3,916.00	Sr.Technical Specialist	169	57.03	9,638.00	-----				Total Hours	345			Total Labor Cost			\$27,075.00				=====	<u>DLVR SCH</u>	<u>PERF COMPL</u>	<u>REL CD</u>	<u>QUANTITY</u>	<u>DATE</u>		001	0	31-DEC-2003		HR		\$ 27,075.00
<u>Labor Category</u>	<u>Hrs</u>	<u>Rate</u>	<u>Price</u>																																															
Subject Matter Expert	57	\$126.80	\$7,228.00																																															
Subject Matter Expert	48	131.11	6,293.00																																															
Sr.Technical Specialist	71	55.16	3,916.00																																															
Sr.Technical Specialist	169	57.03	9,638.00																																															

Total Hours	345																																																	
Total Labor Cost			\$27,075.00																																															
			=====																																															
<u>DLVR SCH</u>	<u>PERF COMPL</u>																																																	
<u>REL CD</u>	<u>QUANTITY</u>																																																	
<u>DATE</u>																																																		
001	0	31-DEC-2003																																																
0001AB	<p><u>SERVICES LINE ITEM</u></p> <p>NOUN: ELMCO BCT WEB SITE UPDATE PRON: X13GX113X1 PRON AMD: 01 ACRN: AA AMS CD: 31107180008</p> <p>Cost Only - No Fee</p> <p>(End of narrative B001)</p>				\$ 14,707.00																																													

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN DAAE07-03-F-B009 MOD/AMD

Name of Offeror or Contractor: ELMCO INCORPORATED

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p><u>Deliveries or Performance</u> DLVR SCH PERF COMPL <u>REL CD</u> <u>QUANTITY</u> <u>DATE</u> 001 0 31-DEC-2003</p> <p style="text-align: right;">\$ 14,707.00</p>				

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 6 of 12

PIIN/SIIN DAAE07-03-F-B009

MOD/AMD

Name of Offeror or Contractor: ELMCO INCORPORATED

DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

Statement of Work For Program Manager, Brigade Combat Team (PM-BCT)
Integrated Digital Environment Management, Web Site Support

1. SCOPE.

This Statement of Work (SOW) defines the requirements to provide non-personal engineering support services in the area of information technology to include system engineering, consulting, project management, and technical assistance to design, develop, manage, and update the Program Manager, Brigade Combat Team (PM-BCT) integrated digital environment (IDE) web site. The intent is to improve the appearance, operation, logical design, imagery, and information content of the current BCT web site. This effort will involve the design, development, production and deployment of a complete web site, with the intent being to replace the existing web site.

Background: PMO-BCT currently has an existing web site at URL: www.bctide.com.

Exclusion: Part of the BCT web site includes a "PORTAL" section, which connects the user to the private or secured section of the web site. This SOW does not cover that "PORTAL" area.

2. APPLICABLE DOCUMENTS.

Technical requirements for BCT IDE web site development are addressed in Appendix 1 (attached)

Requirements definitions.

USG : United States Government.

Web Server Platform is UNIX

Supported languages (ASP, PHP, PERL, DHTML, XML, HTML, SHTML, VBScript, JAVA, JSP, CGI, Java Script).

Supported Browsers and versions initial consideration is identified as being Netscape 6.2.1 and Explorer 5.5 or later, to be resolved during initial government and contractor discussions.

User base. Primary audience will have DSL or better speed. Some users will only have dial up speed at 26,400.

Target resolution for users will generally be not less than 800x600, to be resolved during initial government and contractor discussions.

Section 508 compliance: All deliverables must be Section 508 compliant as described in US Regulation (see www.section508.gov), AMC CIO regulation (https://web2-eaic.hqisec.army.mil/section_508/default.htm), TACOM regulation (<http://home/bullet/cm-i/section508/policy-and-guidance.htm>). Written copies of guidance will be provided by the Government, upon request.

3. REQUIREMENTS.

General.

This is to be a time and materials contract.

The Contractor shall provide overall program management and administrative support to ensure the requirements of the contract are met.

The Contractor shall provide the necessary hardware, software, artwork, images, and labor, except that specifically furnished by the Government, to design, develop, maintain, and update the Integrated Digital Environment web site for the Program Manager, Brigade Combat Team.

IDE Defined. An Integrated Digital Environment (IDE) creates the ability to electronically communicate and process information across all activities, processes, and functions associated with, or in support of, a system throughout its life cycle. An IDE is a seamless architecture that provides controlled access to all data and links the entire BCT acquisition community, including the program office, the prime contractor, subcontractors, vendors, suppliers, support agencies, and end-users. An IDE enables entry, movement, manipulation, configuration management, maintenance, and approval of data. The open web site also have secured access to selected areas by use of passwords. An IDE fulfills all requirements to initiate, manage, administer, and oversee program execution and operation support.

Web site URL: The web site (<http://www.bctide.com>)

Government will provide a copy of existing site, including all files and ,images. And will identify any relevant links.

Web site software: PM-BCT has requested the use of industry recognized software for the IDE web site.

3.1.1 Program Schedule: The Contractor shall develop and maintain a top level (with sub-tending supporting schedules) schedule that shows planned efforts to achieve each significant accomplishment and events relate to the program.

3.2 Detailed tasks

Define requirements: Contractor shall initially gather government requirements, and to develop the program schedule. Contractor shall develop a thorough management approach to the project, which includes program schedules, which identify key events, milestones, durations. The contractor shall use a WBS style of presentation, using an integrated sub-schedule where appropriate. The contractor will evaluate enough sub-vendors to be able to present to the Government 3 alternatives for development. Of these 3 alternatives, the contractor, in conjunction with input from the Government, will select the one alternative or combination of alternatives for final development for integration.

Suggested Best Value criteria to be used in the evaluation process consist of the following:

Areas Of Expertise:

Programming

Software

OS / Environment

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-F-B009 MOD/AMD	Page 7 of 12
Name of Offeror or Contractor: ELMCO INCORPORATED		

Graphics
Experience:
User Rating based on previous projects awarded from RAC buyers
Quality and relevance of accomplished website design and developments

Oversight and Project management: The contractor will monitor the progress of its sub vendors and provide concise and fully informative status reports to the USG. The Contractor will also conduct Beta tests of all deliverables. Beta test performance and test results will be assessed and briefed to USG.

Evaluate and Down-select: The Contractor and government will work together to assess the completion and value of the sub-vendors work. The USG will own all right to all sub-vendors work, code, design, property rights, etc. The Contractor and USG will work together to identify the valuable elements of each vendors submission. Also there will be a selection of one vendor to integrate selected elements into a single product.

Final review: The contractor shall assure compliance by sub vendors. Assure all rights and ownership issues have been addressed and are fully transferred to the USG.

4. PLACE AND PERIOD OF PERFORMANCE.

Place of Performance. The primary place of performance shall be at the contractor's facilities in Huntsville, AL and the Government's facilities in Warren, MI. However, travel between and among these and other locations may be required as directed by the Government Project Director, being Mr. John Brobst, PMO, Brigade Combat team, Business Management Office, phone: 586-753-2110 Travel related expenses shall be invoiced to the Government in accordance with Government Travel Regulations in effect at the time travel commenced. No fee shall be applied to travel related expenses.

Period of Performance. The period of performance will start upon contract award and extend through 31 December 2003.

Appendix 1
BCT IDE Web Design Standards

Contractor shall adhere to the following standards in this document to make possible the process of deploying those deliverables into the BCT IDE external and portal web sites.

The purpose of these standards is to encourage compliance with standards and good practice in web authoring, and to ensure that authors who deviate from such standards are aware of the consequences of their actions. It is assumed that readers already have a general working knowledge of HTML, such as might be acquired through appropriate training or experience.

Definitions, Acronyms and Abbreviations
The following standard practices are defined:

Mandatory Practices

Sentences containing the word SHALL are mandatory practices, and must be followed without exception in all Web pages and systems. The word MUST is used in statements that repeat a mandatory practice.

Recommended Practices

Sentences containing the word SHOULD are strongly recommended practices. A justification may be required if they are not followed.

Guideline Practices

Sentences containing the word MAY are guidelines. No justification is required if they are not followed.

The following acronyms will be familiar to readers, but are listed here for completeness:

- CGI The Common Gateway Interface
- CSS Cascading Style Sheets
- DTD Document Type Definition
- HTML HyperText Markup Language
- HTTP HyperText Transfer Protocol
- JSP Java Server Pages
- OPSEC Open Platform for Security
- SHTML HyperText Markup Language containing Server Side Includes
- SSI Server Side Includes
- SGML Standard General Markup Language
- W3C The World-Wide Web Consortium

Name of Offeror or Contractor: ELMCO INCORPORATED

WWW The World-Wide Web

References

This document is a modified version of the Standards for HTML Authoring for the World Wide Web Copyright 1997 by Web Design Group. This material may be distributed only subject to terms and conditions set forth in the Open Publication License, v1.0 or later (the latest version is presently available at <http://www.opencontent.org/openpub/>).

The Web Design Group cites the following references:

HyperText Markup Language Specifications
WDG HTML Validator

Overview

This document presents requirements as a simple list, under the following general headings:

Validation

HTML Headers
Color and Background Images
Images
Appropriate Use and Deprecated Tags
Nonstandard/Proprietary Markup
Browser Compatibility
Style Sheets
Frames Pages
Client-side Scripts
Dynamic Pages

Web Authoring Standards**Validation**

All HTML documents SHALL be checked with an HTML validator.
All HTML documents SHALL be checked for compliance to the U.S. Section 508 Guidelines.
<http://www.access-board.gov/sec508/508standards.htm>
All HTML documents SHOULD be validated using the link <http://bobby.watchfire.com/bobby/html/en/index.jsp> and using U.S. Section 508 Guidelines.

Documents SHOULD be validated at HTML level 2.0, 3.2 (Wilbur), or future specifications from W3C when available.

Authors using a Document Type Definition (DTD) other than the above SHALL include an appropriate DOCTYPE declaration. In the case of a DTD that is NOT standard or widely known the DTD itself SHALL be referenced in a comment within the document.

HTML documents SHOULD validate successfully.

The author SHALL note validation errors. Such notes MAY be delivered separately to the HTML documents (provided they are referenced by a comment in the source), and SHOULD describe the purpose of the invalid construct, together with its effect in several browsers including text-mode browsers (the comment "no effect" is acceptable). In the case of an invalid but established construct, a reference to an existing analysis is sufficient. Web Pages SHALL be subject to OPSEC/PAO (Operations Security/Public Affairs office) approval.

HTML Headers

All HTML documents SHALL include an appropriate TITLE
Documents MAY include other header elements, such as relational links, Stylesheets, Client-side scripts, and META elements.
Documents which are a "front page" or other principal entry point for a system SHOULD include the following:
KEYWORDS and DESCRIPTION meta elements for the benefit of Web indexers.
A "REV=MADE" link indicating the document's author or maintainer.

Other documents MAY include such headers.

Meta Tag values SHALL be approved by the BCT.

Color and Background Images:

Authors MAY use any legal markup to determine document Color, but SHOULD use RGB specifications to do so.

Where Color are set by an author, they SHALL ensure a strong contrast between text and background. This implies light-on-dark or dark-on-light: color contrasts are insufficient to cater for monochrome displays or color-blind readers. Note that this implies that authors setting a text color MUST also set the corresponding background, and vice versa.

Background images (where used) SHOULD be small, and SHOULD be of a similar color to the BGCOLOR specified.

Conspicuous background images SHOULD be avoided in pages containing textual information.

Images:

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-F-B009 MOD/AMD	Page 9 of 12
Name of Offeror or Contractor: ELMCO INCORPORATED		

Images MAY be used to complement text, but SHOULD NOT be used to replace it. Examples of appropriate use are diagrams, graphs and geographic maps (which naturally complement text); inappropriate examples are passages of decorated text and image-maps used to replace it.

All images SHALL have ALT texts. Where appropriate, ALT=" " is acceptable.

ALT texts for images that are also links SHALL be descriptive of the purpose of the link, and SHOULD be brief. "Home", "Next", "Previous", "Search" are examples of good ALT texts; "Click Here", "Home Icon", "Binocular Icon", "Back to XYZ Homepage" are irredeemably bad.

ALT texts for larger images (e.g. those above about 10Kb) SHOULD warn of their size - for example "Global Composite Image (29K)" (although it MAY be appropriate to omit this in cases where any non-blank ALT text would be obtrusive).

ALT texts for image-maps MAY direct readers to a separate text toolbar; otherwise they SHOULD be blank (ALT=" ").

Where image-maps are used, alternative means of navigation SHALL be made available to readers.

Images SHOULD use height and width attributes, except as noted under Browser Compatibility below.

Image file names SHOULD be descriptive and human readable.

Appropriate Use and Deprecated Tags

<BLINK> SHALL NOT be used.

 SHOULD NOT be used in place of HTML headers <H1> - <H6>

Emphasis tags such as , or SHOULD NOT be applied to extended passages. They are appropriate to words and phrases, and (exceptionally) as much as a complete paragraph of text.

<H1>...</H1> SHOULD be used exactly once in an HTML page.

Nonstandard/Proprietary Markup

General standards: particular cases are dealt with separately below.

Subject to the validation standards above, authors MAY use nonstandard or proprietary tags in an HTML document.

Whereas HTML pages MAY be thus "enhanced", they SHOULD NOT be dependent on proprietary markup. Specifically, all key functionality and information SHOULD be available to an HTML-compliant browser not supporting the "extension".

Undefined Entities SHALL NOT be used.

Browser Compatibility:

HTML constructs which render a document difficult to read due to known defects in popular browsers SHOULD be avoided, regardless of the construct's validity in strict HTML. All of the guidelines in this section are advisory.

It is not the purpose of this document to enumerate browser failings but authors' attention is drawn here to a few cases. Authors purporting to write for the "majority" should be aware that most of these constructs risk becoming illegible in the popular Netscape browser.

Use of < or > within a tag, in a construct such as "> risks breaking parsers and SHOULD be avoided.

Comments SHOULD open with <!-- and close with -->. Use of "-" or ">" within these delimiters SHOULD be avoided.

Height and Width attributes in images SHOULD be restricted to cases where neither the image itself nor the ALT texts are essential to the document. In particular, images which are navigation icons SHOULD NOT use height and width attributes, unless separate text-based navigation is also provided on the same page.

When specifying document Color in a BODY tag, numeric RGB notation SHOULD always be used.

When using a floating image or table, "br clear" SHOULD if possible be used ahead of any further images or tables.

When using HTML Tables, provision SHOULD be made to ensure the document is legible to browsers not supporting this feature.

HTML containers (such as paragraphs or table cells) SHOULD be explicitly closed.

A common and frequently serious author error is to seek to affect page presentation in a manner detrimental to a document's legibility for other users.

Pages SHOULD NOT depend on a particular browser window, font size or color table to be readable. Indeed, they SHOULD NOT depend on any visual presentation whatsoever, except where the information content is inherently visual in nature.

Authors SHOULD NOT use constructs, which make assumptions (explicit or otherwise) about a reader's settings. Examples to be avoided are full-screen tables or divider GIFs whose size is expressed in pixels. <TABLE WIDTH="95%"> is acceptable; <TABLE WIDTH="500"> is not.

Note of course that none of these guidelines preclude visual enhancement of a document for those readers who are in a position to take advantage of an author's intended presentation.

Style Sheets

Authors MAY use style sheets to enhance web pages, and are encouraged to do so when seeking to determine document appearance.

Style sheets SHALL NOT be visible to browsers which do not support them. This SHALL be tested.

Style sheets SHALL NOT be used in a manner detrimental to accessibility for browsers not supporting this feature.

Frames Pages

Frames MAY be used, subject to the validation requirements. Note that since they will not validate as standard HTML, a report will always be required.

Information provided via a frameset SHALL also be made accessible unframed via the NOFRAMES section.

The NOFRAMES section SHOULD provide readers with a complete alternative. The use of a link to a separate version SHOULD be restricted to those occasions where it is large in (byte) size.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-F-B009 MOD/AMD	Page 10 of 12
---------------------------	--	----------------------

Name of Offeror or Contractor: ELMCO INCORPORATED

Use of more than one frameset-based layout on a site SHOULD be avoided.

All external links in a frameset page SHALL use the target attribute to avoid embedding another website in a frame.

Client-Side Scripting

Client-side scripting languages such as Javascript MAY be used, provided it does not detract from the page's accessibility to browsers not supporting or enabling this feature.

Script pages SHALL be inspected in browsers not supporting the scripting language (NOT merely browsers with this facility turned off) to ensure satisfactory appearance.

Script pages SHALL be subject to HTML validation requirements.

Dynamic Pages

In the case of dynamic pages generated by CGI, SSI, JSP or other server interface, it is not realistic to validate every possible page generated. However, output will generally take a prescribed form or one of a limited number of prescribed forms.

CGI SHALL NOT be used.

Dynamic pages SHALL be represented by sample outputs of the program. These sample pages SHALL be subject to the standards described for static documents. Every major path through the program SHALL be represented by such a sample output page, and tested with the same attention as the software itself.

Dynamic pages that include a user's input may be beyond the author's control. Nevertheless, authors SHOULD seek to anticipate any potentially disruptive input; for example, any HTML markup could be stripped.

Authors SHALL in all cases ensure that user input cannot be used to compromise system security, or the accessibility of other information on the system.

Authors SHALL in all cases ensure that any server side technology required to generate dynamic pages is approved by the BCT.

*** END OF NARRATIVE C 001 ***

CONTINUATION SHEET

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-F-B009

MOD/AMD

Name of Offeror or Contractor: ELMCO INCORPORATED

CONTRACT ADMINISTRATION DATA

LINE	PRON/	OBLG						JOB	ACCOUNTING		OBLIGATED
<u>ITEM</u>	<u>AMS CD</u>	<u>ACRN</u>	<u>STAT</u>	<u>ACCOUNTING CLASSIFICATION</u>				<u>ORDER</u>	<u>STATION</u>	<u>AMOUNT</u>	
0001AA	X13GX113X1	AA	2	21	32033000035R5R07P311071252B	S20113	3GXP42	W56HZV	\$	27,075.00	
31107180008											
0001AB	X13GX113X1	AA	2	21	32033000035R5R07P311071252B	S20113	3GXP42	W56HZV	\$	14,707.00	
31107180008											
									TOTAL	\$	41,782.00

SERVICE	TOTAL BY ACRN		ACCOUNTING CLASSIFICATION				ACCOUNTING	OBLIGATED	
<u>NAME</u>							<u>STATION</u>	<u>AMOUNT</u>	
Army	AA	21	32033000035R5R07P311071252B	S20113		W56HZV	\$	41,782.00	
							TOTAL	\$	41,782.00

PUIC:SFAEB-X-015
EOR:2512

*** END OF NARRATIVE G 001 ***

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 12 of 12

PIIN/SIIN DAAE07-03-F-B009

MOD/AMD

Name of Offeror or Contractor: ELMCO INCORPORATED

LIST OF ATTACHMENTS

<u>List of</u> <u>Addenda</u>	<u>Title</u>	<u>Date</u>	<u>Number</u> <u>of Pages</u>	<u>Transmitted By</u>
Attachment 001	DD 1423-1 BCT WEBSITE DESIGN CDRL	09-APR-2003	001	EMAIL